



**DONG WON**  
TEX



Creative & Chalange

Dongwon always strives to challenge and create new things. We are already loved by deceloping the world's first combi fabric and we are constantly striving to become a leading company by continously developping various product.

Top of the Wolrd

We will always grow to be the world's best compaby by realizing customer satisfaction with the best products and services with the aim of always being the best.

Shared Growth

We will always strive to become a company that grows and develops with customers by constantly thinking about customers and constantly striving to become a company that pursues customer value creation, rich life and happiness.

CERTIFICATE  
OF COMPLIANCE



GREENGUARD

PRODUCT CERTIFIED FOR  
LOW CHEMICAL EMISSIONS  
UL.COM/GG  
UL 2818

GOLD

DONGWON Textile  
Co., Ltd

See product list below

UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings

Product tested in accordance with UL 2818 test method to show compliance to emission limits on UL 2818, Section 2.1 and 2.2.  
Commercial furniture and furnishings are tested in accordance with ANSI/BIFMA X5.1-2013 and ANSI/BIFMA X5.2014. Credit 3.6.1, 3.6.2, and 3.6.3. Panel based workstations are modeled in the open plan environment. Casework systems and individual furniture items are modeled in the private office environment. Seating products are modeled in the seating environment. Classroom furniture is modeled using the standard classroom model in the California Department of Public Health (CDPH) Standard Method v1.1.

Building Products are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.1-2014, using the applicable exposure scenario.



UL investigated representative samples of the identified Product(s) to the identified Standard(s) or other requirements in accordance with the agreements and any applicable program service terms in place between UL and the Certificate Holder (collectively "Agreement"). The Certificate Holder is authorized to use the UL Mark for the identified Product(s) manufactured at the production site(s) covered by the UL Test Report, in accordance with the terms of the Agreement. This Certificate is valid for the identified dates unless there is non-compliance with the Agreement.

CERTIFICATE  
OF COMPLIANCE

UL GREENGUARD Certified Products Listing					
Product Name	Certification	Status	Certificate Number	Certification Period	Restrictions
Eco Screen fabrics matt	GREENGUARD Gold Certified	Certified	180804-420	08/09/2020-07/15/2021	
Eco Screen fabrics star	GREENGUARD Gold Certified	Certified	180805-420	08/09/2020-07/15/2021	
Combi shade wide version	GREENGUARD Gold Certified	Certified	180806-420	08/09/2020-07/15/2021	
Combi shade narrow version	GREENGUARD Gold Certified	Certified	180807-420	08/09/2020-07/15/2021	

Please refer to current certificates on [ul.com/spg](https://ul.com/spg) for complete compliance information.



UL investigated representative samples of the identified Product(s) to the identified Standard(s) or other requirements in accordance with the agreements and any applicable program service terms in place between UL and the Certificate Holder (collectively "Agreement"). The Certificate Holder is authorized to use the UL Mark for the identified Product(s) manufactured at the production site(s) covered by the UL Test Report, in accordance with the terms of the Agreement. This Certificate is valid for the identified dates unless there is non-compliance with the Agreement.

## Company History

2011-2013

### ● Foundation

- Dong won Tex Co.LTD Established
- 86 Weaving Machines
- Received Venture Business Corfirmation

2014-2015

### ● Foundation Furtherance

- Dong Jin established
- 3 Finish Machines
- Made R & D team
- ReceivedISO9001/14001

2016

### ● Growth Stage

- Made Team for Oversea Team
- Added Sales Members in Domestic Market.
- Operated One-Stop System  
(Weaving, Finishing, Inspection System)

2017

### ● Infrastructure improvement

- Developed Oversea Market
- Group maintenance

2018-2019

### ● Growth Basis

- Received \$ 5million export Award
- Received Exportation Aword

## Facilities & Equipment





## Contents

- 8 Blackout Combi
- 12 Elegance Combi
- 16 Black out Roll
- 21 Roll Screen
- 26 Eco Sun Screen







## Arena Blackout Combi

The gap in width between vane part and sheer part, which are 12cm x 8cm respectively, enhances the efficiency rate of blocking light. Besides, the product presents a natural and exclusive image with a two-tone dope dyed yarn. Moreover, it can create a far superior image in your house than more expensive combi blackout and also outperforms combi blackout products in popularity.

COMPOSITION	POLYESTER 100%
WIDTH	2800mm
PACKING	50m/Roll
WEIGHT	±205g/sqm(±5%)
THICKNESS	solid 0.48mm(±5%) / sheer 0.11mm(±5%)
REPEAT SIZ	solid 120mm / sheer 80mm
FIRE CLASSIFICATION	F/R & NON F/R





## Purewide Blackout Combi

Making Pure White color and Real Yarn colors , the product provides a feeling of fabric texture and generates a sophisticated, stylish, and modern feeling in your house. It is made of fabric which provides a function of High blackout.

COMPOSITION	POLYESTER 100%
WIDTH	2800mm
PACKING	50m/Roll
WEIGHT	±220g/sqm(±5%)
THICKNESS	solid 0.63mm(±5%) / sheer 0.1mm(±5%)
REPEAT SIZE	solid 120mm X 80mm
FIRE CLASSIFICATION	F/R & NON F/R



## Puriety Blackout Combi

Making Pure White color and Real Yarn colors , the product provides a feeling of fabric texture and generates a sophisticated, stylish, and modern feeling in your house.

COMPOSITION	POLYESTER 100%
WIDTH	2800mm
PACKING	50m/Roll
WEIGHT	±208g/sqm(±5%)
THICKNESS	solid 0.45mm(±5%) / sheer 0.08mm(±5%)
REPEAT SIZE	solid 75mm / sheer 50mm
FIRE CLASSIFICATION	F/R & NON F/R





## Lux 1 tone

With using 1 tone dope dyed yarn, the Roll shade generates a modern and high-class images in your home. Besides, it creates a far superior image than more expensive blinds and outperforms them in popularity.

COMPOSITION	POLYESTER 100%
WIDTH	2800mm
PACKING	50m/Roll
WEIGHT	±129g/sqm(±5%)
THICKNESS	solid 0.30mm(±5%) / sheer 0.09mm(±5%)
REPEAT SIZE	solid 75mm / sheer 50mm
FIRE CLASSIFICATION	F/R & NON F/R



## Lux 2 tone

With using 2 tone dope dyed yarn, the combi shade generates a natural and high-class images in your home. Besides, it creates a far superior image than more expensive blinds and outperforms them in popularity.

COMPOSITION	POLYESTER 100%
WIDTH	2800mm
PACKING	50m/Roll
WEIGHT	±129g/sqm(±5%)
THICKNESS	solid 0.34mm(±5%) / sheer 0.09mm(±5%)
REPEAT SIZE	solid 75mm / sheer 50mm
FIRE CLASSIFICATION	F/R & NON F/R





# Bling Combi

Bling combi, designed with small pebble shapes, is woven through a jacquard loom. Very sophisticated and luxurious combi shade!

COMPOSITION	POLYESTER 100%
WIDTH	2800mm
PACKING	50m/Roll
WEIGHT	±114g/sqm(±5%)
THICKNESS	solid 0.30mm(±5%) / sheer 0.10mm(±5%)
FIRE CLASSIFICATION	F/R & NON F/R



# Elegance 2 tone

It is popular combi. Modern 2 tone yarns are used to give you a better texture feeling and generate neat images.

COMPOSITION	POLYESTER 100%
WIDTH	2800mm
PACKING	50m/Roll
WEIGHT	±137g/sqm(±5%)
THICKNESS	solid 0.33mm(±5%) / sheer 0.12mm(±5%)
REPEAT SIZE	solid 75mm / sheer 50mm
FIRE CLASSIFICATION	F/R & NON F/R









## Bolero Blackout 1&2 tone Roll

The fabric enhances the efficiency rate of blocking light. Besides, the product offers you a modern and elegant image with a one-tone dope dyed yarns or 2 tone dope dyed yarns. Moreover, it can create a far superior image in your house than more expensive combi blackout and also outperforms combi blackout products in popularity.

COMPOSITION	POLYESTER 100%
WIDTH	2800mm(±5%)
WEIGHT	327g/sqm(±5%)
THICKNESS(SOLID/MESH)	0.52mm(±5%)
PACKING	50m/Roll
FIRE CLASSIFICATION	F/R & NON F/R



## Mild Blackout 1&2 tone Roll

The fabric enhances the efficiency rate of blocking light. Besides, the product offers you a modern and elegant image with a one-tone dope dyed yarns or 2 tone dope dyed yarns. Moreover, it can create a far superior image in your house than more expensive combi blackout and also outperforms combi blackout products in popularity.

COMPOSITION	POLYESTER 100%
WIDTH	2800mm
WEIGHT	±329g/sqm(±5%)
THICKNESS(SOLID/MESH)	0.51mm(±5%)
PACKING	30m/Roll
FIRE CLASSIFICATION	F/R & NON F/R





## Linen Blackout Roll

It is a roll version of existing linen B/O combi. Linen effect used to existing Linen B/O combi makes it feel natural and produce a high-class image in a room.

COMPOSITION	POLYESTER 100%
WIDTH	2800mm
WEIGHT	±235g/sqm(±5%)
THICKNESS(SOLID/MESH)	0.65mm(±5%)
PACKING	30m/Roll
FIRE CLASSIFICATION	F/R & NON F/R



## Linenlike Roll

Woven by using LLY yarns, this roll shade generates a natural look and an eco-friendly image.

COMPOSITION	POLYESTER 100%
WIDTH	2800mm
WEIGHT	±165g/sqm(±5%)
THICKNESS(SOLID/MESH)	0.4mm(±5%)
PACKING	50m/Roll
FIRE CLASSIFICATION	F/R & NON F/R





# Firenze Roll

It is a roll version of existing Firenze combi,is woven through a jacquard loom.  
Very sophisticated and luxurious Roll shade!

COMPOSITION	POLYESTER 100%
WIDTH	2800mm
WEIGHT	±174g/sqm(±5%)
THICKNESS(SOLID/MESH)	0.54mm(±5%)
PACKING	50m/Roll
FIRE CLASSIFICATION	F/R & NON F/R



# Bling Roll

It is a roll version of existing Bling combi, designed with small pebble shapes, is woven through a jacquard loom. Very sophisticated and luxurious combi shade!

COMPOSITION	POLYESTER 100%
WIDTH	2800mm
WEIGHT	±138g/sqm(±5%)
THICKNESS(SOLID/MESH)	0.30mm(±5%)
PACKING	50m/Roll
FIRE CLASSIFICATION	F/R & NON F/R





## Lux Roll 1tone

It is a roll version of existing Lux 1 tone combi, the Roll shade generates a modern and high-class images in your home. Besides, it creates a far superior image than more expensive blinds and outperforms them in popularity.

COMPOSITION	POLYESTER 100%
WIDTH	2800mm
WEIGHT	±177g/sqm(±5%)
THICKNESS(SOLID/MESH)	0.35mm(±5%)
PACKING	50m/Roll
FIRE CLASSIFICATION	F/R & NON F/R



## Lux Roll 2tone

It is a roll version of existing Lux 2 tone combi, the combi shade generates a natural and high-class images in your home. Besides, it creates a far superior image than more expensive blinds and outperforms them in popularity.

COMPOSITION	POLYESTER 100%
WIDTH	2800mm
WEIGHT	±177g/sqm(±5%)
THICKNESS(SOLID/MESH)	0.35mm(±5%)
PACKING	50m/Roll
FIRE CLASSIFICATION	F/R & NON F/R







## Eco Screen Matt 1%, 3%, 5%

Using polyester yarn to PVC sunscreen fabric item makes it an eco-friendly shade. Besides, by keeping the feeling of fabric, the product produces a warm image.

COMPOSITION	POLYESTER 100%
WIDTH	2.00m & 3.00m
PACKING	30m/Roll
WEIGHT	±306g/sqm(±5%)
THICKNESS	0.4mm(±5%)
FIRE CLASSIFICATION	F/R



## Eco Screen Star 3%, 5%

Using polyester yarn to PVC sunscreen fabric item makes it an eco-friendly shade. Besides, by keeping the feeling of fabric, the product produces a warm image.

COMPOSITION	POLYESTER 100%
WIDTH	2.00m & 3.00m
PACKING	30m/Roll
WEIGHT	±333g/sqm(±5%)
THICKNESS	0.59mm(±5%)
FIRE CLASSIFICATION	F/R





# Eco Screen Twill

Using polyester yarn to PVC sunscreen fabric item makes it an eco-friendly shade. Besides, by keeping the feeling of fabric, the product produces a warm image.

COMPOSITION	POLYESTER 100%
WIDTH	2.00m & 3.00m
PACKING	30m/Roll
WEIGHT	±307g/sqm(±5%)
THICKNESS	0.41mm(±5%)
FIRE CLASSIFICATION	F/R

## Eco Screen Twill

COMPOSITION : POLYESTER 100%  
WIDTH : 2.00m & 3.00m  
PACKING : 30m/Roll  
WEIGHT : ±307g/sqm(±5%)  
THICKNESS : 0.41mm(±5%)  
FIRE CLASSIFICATION : F/R



## Eco Screen Star

COMPOSITION : POLYESTER 100%  
WIDTH : 2.00m & 3.00m  
PACKING : 30m/Roll  
WEIGHT : ±333g/sqm(±5%)  
THICKNESS : 0.59mm(±5%)  
FIRE CLASSIFICATION : F/R



## Eco Screen Matt

COMPOSITION : POLYESTER 100%  
WIDTH : 2.00m & 3.00m  
PACKING : 30m/Roll  
WEIGHT : ±306g/sqm(±5%)  
THICKNESS : 0.4mm(±5%)  
FIRE CLASSIFICATION : F/R





# Swatch Index

## Pearl combi

COMPOSITION : POLYESTER 100%  
WIDTH : 2800mm  
PACKING : 50m/Roll  
WEIGHT : ±168g/sqm(±5%)  
THICKNESS : solid 0.53mm(±5%)  
/ sheer 0.12mm(±5%)  
REPEAT SIZE: solid 75mm X 50mm  
FIRE CLASSIFICATION : F/R & NON F/R



## Pure wide B/O combi

COMPOSITION : POLYESTER 100%  
WIDTH : 2800mm  
PACKING : 50m/Roll  
WEIGHT : ±220g/sqm(±5%)  
THICKNESS : solid 0.63mm(±5%)  
/ sheer 0.1mm(±5%)  
REPEAT SIZE: solid 120mm X 80mm  
FIRE CLASSIFICATION : F/R & NON F/R



# Swatch Index

## Bling Combi

COMPOSITION : POLYESTER 100%  
WIDTH : 2800mm  
PACKING : 50m/Roll  
WEIGHT : ±114g/sqm(±5%)  
THICKNESS : solid 0.30mm(±5%)  
/ sheer 0.10mm(±5%)  
FIRE CLASSIFICATION : F/R & NON F/R



## Lux Combi (1 Tone)

COMPOSITION : POLYESTER 100%  
WIDTH : 2800mm  
PACKING : 50m/Roll  
WEIGHT : ±129g/sqm(±5%)  
THICKNESS : solid 0.30mm(±5%)  
/ sheer 0.09mm(±5%)  
REPEAT SIZE: solid 75mm / sheer 50mm  
FIRE CLASSIFICATION : F/R & NON F/R



## Lux Combi (2 Tone)

COMPOSITION : POLYESTER 100%  
WIDTH : 2800mm  
PACKING : 50m/Roll  
WEIGHT : ±129g/sqm(±5%)  
THICKNESS : solid 0.34mm(±5%)  
/ sheer 0.09mm(±5%)  
REPEAT SIZE: solid 75mm / sheer 50mm  
FIRE CLASSIFICATION : F/R & NON F/R





# Swatch Index

## Blackout Arena

COMPOSITION : POLYESTER 100%  
WIDTH : 2800mm  
PACKING : 50m/Roll  
WEIGHT : ±205g/sqm(±5%)  
THICKNESS : solid 0.48mm(±5%)  
/ sheer 0.11mm(±5%)  
REPEAT SIZE: solid 120mm / sheer 80mm  
FIRE CLASSIFICATION : F/R & NON F/R



## Elegance(2 Tone) combi

COMPOSITION : POLYESTER 100%  
WIDTH : 2800mm  
PACKING : 50m/Roll  
WEIGHT : ±137g/sqm(±5%)  
THICKNESS : solid 0.33mm(±5%)  
/ sheer 0.12mm(±5%)  
REPEAT SIZE: solid 75mm / sheer 50mm  
FIRE CLASSIFICATION : F/R & NON F/R



## Purity B/O combi

COMPOSITION : POLYESTER 100%  
WIDTH : 2800mm  
PACKING : 50m/Roll  
WEIGHT : ±208g/sqm(±5%)  
THICKNESS : solid 0.45mm(±5%)  
/ sheer 0.08mm(±5%)  
REPEAT SIZE: solid 75mm / sheer 50mm  
FIRE CLASSIFICATION : F/R & NON F/R



# Swatch Index

## Careplus blackout combi

COMPOSITION : POLYESTER 100%  
WIDTH : 2800mm  
PACKING : 50m/Roll  
WEIGHT : ±193g/sqm(±5%)  
THICKNESS : solid 0.51mm(±5%)  
/ sheer 0.10mm(±5%)  
REPEAT SIZE: solid 75mm X 50mm  
FIRE CLASSIFICATION : F/R & NON F/R




## Careplus lux (2Tone) combi

COMPOSITION : POLYESTER 100%  
WIDTH : 2800mm  
PACKING : 50m/Roll  
WEIGHT : ±106g/sqm(±5%)  
THICKNESS : solid 0.37mm(±5%)  
/ sheer 0.09mm(±5%)  
REPEAT SIZE: solid 75mm X 50mm  
FIRE CLASSIFICATION : F/R & NON F/R



## Stripe wide(2 Tone) combi

COMPOSITION : POLYESTER 100%  
WIDTH : 2800mm  
PACKING : 50m/Roll  
WEIGHT : ±98g/sqm(±5%)  
THICKNESS : solid 0.37mm(±5%)  
/ sheer 0.12mm(±5%)  
REPEAT SIZE: solid 100mm X 70mm  
FIRE CLASSIFICATION : F/R & NON F/R







107, Seongseogongdannam-ro, Dalseo-gu, Daegu, Republic of Korea (Wolam-Dong)

Tel. +82 70 5223 4667 / Fax. +82 70 8233 3317

<http://www.dongwontex.com>